

SAFETY DATA SHEET

SDS for GHS: Hazcom 2012 (USA) / WHMIS 2015 (Canada) / NMX-R-019-SCFI-2011 (Mexico)

SECTION: 1 IDENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY

1.1 Product Name: Tungsten Electrodes

Product Specification: AWS A5.12M/A5.12:2009 (ISO 6848:2004 MOD)

Product Identification: EWP, EWCe-2, EWLa-1, EWLa-1.5, EWLa-2, EWTh-1, EWTh-2,

EWZr-1, EWZr-8, EWG including (Cryo-T: EWTh-4). Relevant details pertaining to thorium containing material exhibited in RED. All other material classified as Non-Radioactive.

1.2 Identified Uses: Non-melting electrode for arc welding and cutting processes.

Industrial uses for: soldering, brazing, heating elements, emitter,

cathode and electrode for lighting industry.

1.3 Supplier: Diamond Ground Products, Inc.

2651 Lavery Court

Newbury Park, CA 91320

Phone: 805-498-3837

Email: sales@diamondground.com

Website: www.diamondground.com

Revision: 03 January 2022

SECTION: 2 HAZARDS IDENTIFICATION

2.1 Classification of the Mixture:

Solid metallic products are generally classified as "articles" and do not constitute hazardous materials in solid form under OSHA Hazard Communications Standard definitions (29 CFR 1910.1200). Only large quantities of thoriated tungsten electrodes may pose a radioactive hazard, and the most serious hazards identified in this Section II relate only to thoriated tungsten electrodes. Thorium dioxide is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR Part 372.



Restrictions and hazards pertaining only to thorium containing components are exhibited in RED.

2.2 Classification in accordance with GHS-US:

STOT RE 1	H315
STOT SE 1	H335
STOT RE 1	H372
Aquatic Acute 1	H410
Aquatic Acute 1	H400

2.3 Label Elements:

Hazard Pictograms (GHS-US):



Signal Word (GHS-US): DANGER

Hazard Statements (GHS-US):

H317	May cause allergic skin reaction
H319	May cause eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H340	Suspected of causing genetic defects
H351	Suspected of causing cancer
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US):



P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe dust/fumes/gas/vapors/spray
P261	Avoid breathing dust/fumes/gas/vapors/spray
P264	Wash thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release into the environment
P280	Wear protective gloves
P284	In case of inadequate ventilation wear respiratory protection
P302	If on skin wash with soap and water
P305	If in eyes rinse cautiously with water for several minutes
P308	If exposed call a poison center or doctor
P311	If experiencing respiratory symptoms call a poison center or doctor
P313	If skin irritation or rash occurs get medical attention
P363	Wash contaminated clothing before reuse
P402	Store in a dry place in a closed container

2.4 Physical Hazards/ Health Hazards not Otherwise Classified:

PHNOC : Unknown

HHNOC : Unknown

2.5 Unknown acute toxicity (GHS-US): No data available



SECTION: 3 COMPOSITION INFORMATION ON INGREDIENTS

3.1 Mixtures:

Substance name	е	Product Identifier (CAS No)	% Percent	GHS-US classification
Tungsten	W	7440-33-7	> 99.95	Not classified
Thorium Dioxide	ThO ₂	1314-20-1	1.70 – 4.00	Carcinogen 1A, H350
Cerium Dioxide	CeO ₂	1345-13-7	1.80 - 2.20	Not classified
Lanthanum Dioxide	La ₂ O ₃	1312-81-8	0.80 - 2.20	Not classified
Zirconium Oxide	ZrO ₂	1314-23-4	0.15 - 0.90	Not classified
Yttrium Oxide	Y ₂ O ₃	1314-36-9	0.07 - 0.09	Not classified

SECTION: 4 FIRST AID MEASURE

4.1 Description of First Aid Measures:

Inhalation: Remove to fresh air and rest in comfortable position. Seek medical

attention.

Skin Contact: Flush with water for at least 15 minutes. Seek medical attention if

irritation persists.

Eye Contact: Flush with water for at least 15 minutes. Seek medical attention if

discomfort persists.

Ingestion: Do NOT induce vomiting. Rinse mouth and seek medical attention.

SECTION: 5 FIREFIGHTING MEASURES

5.1 Extinguishing media: Use alcohol resistant foam, water mist, or dry

extinguishing powder or carbon dioxide (CO2).

Unsuitable extinguishing media: No information available

5.2 Special Hazards: Fire may produce irritating or poisonous gases



Fire hazard: Not flammable

Explosion Hazard: Not known

5.3 Special protective gear/precautions for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved full protective gear. Evacuate personnel to safe areas.

SECTION: 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions: Ensure adequate ventilation especially in

confined areas and wear respiratory protection.

Avoid creating dust and do not breathe dust/fume/gas/spray. Remove all sources of

ignition.

6.2 Environmental Precautions: Avoid release into the environment (soil, drains,

sewers)

6.3 Method of Containment and Cleanup: Collect mechanically and dispose in labeled

containers according to regional requirements.

SECTION: 7 HANDLING AND STORAGE

7.1 Precautions for Safe Handling: Keep away from heat/sparks/hot surfaces/static discharge. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Adopt good practices to prevent accumulation of dust and powders from use or grinding as thorium containing electrodes pose a special health hazard.

7.2 Conditions for safe storage: Store in cool, dry and well ventilated space.

Keep away from any source of ignition as described above. Store thorium containing material in accordance with local regulations for radioactive substances.

SECTION: 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters:

Tungsten	(CAS No) 7440-33-7	
USA ACGIH	ACGIH (TWA) (mg/m³)	5 mg/m ³



USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³
Thorium Dioxide	(CAS No) 1314-20-1	
USA ACGIH	ACGIH (TWA) (mg/m ³)	No data
USA OSHA	OSHA PEL (TWA) (mg/m³)	No data
Lanthanum Dioxide	(CAS No) 1312-81-8	
USA ACGIH	ACGIH (TWA) (mg/m ³)	10 mg/m ³
USA OSHA	OSHA PEL (Ceiling) (mg/m³)	15 mg/m ³
Cerium Dioxide	(CAS No) 1345-13-7	
USA ACGIH	ACGIH (TWA) (mg/m ³)	No data
USA OSHA	OSHA PEL (TWA) (mg/m³)	No data
Zirconium Oxide	(CAS No) 1314-32-4	
USA ACGIH	ACGIH (TWA) (mg/m ³)	5 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³
USA ACGIH	ACGIH STEL (mg/m³)	10 mg/m ³
Yttrium Oxide	(CAS No) 1314-36-9	
USA ACGIH	ACGIH (TWA) (mg/m³)	1 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m ³

8.2 Exposure Controls: See American Standard Z49.1 "Safety in Welding and Cutting", published by the American Welding Society, 550 N.W. LeJeune Rd. Miami, FL 33126 and OSHA publication 2206 (29 CFR 1910), U.S. Government Printing Office, Washington, D.C. 20402 for details on hand, eye, skin, respiratory and body protection.

SECTION: 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	- Solid	
Color:	- Gray - Silver	
Odor:	- Odorless	
Odor threshold:	- Not determined	
pH:	- Not determined	
Relative evaporation rate (butyl acetate = I):	- Not determined	
Melting point:	- approx. 3382 C (6120 F)	
Freezing point:	- Not determined	
Boiling point:	- approx. 5530 C (9986 F)	
Flash point:	- Not determined	
Self ignition temperature:	- Not determined	
Decomposition temperature:	- Not determined	
Flammability (solid, gas):	- Not determined	
Vapor pressure:	- Not determined	
Relative vapor density at 20 · C:	- Not determined	
Relative density:	- Not determined	
Solubility:	- Not determined	
Log Pow:	- Not determined	
Log Kow:	- Not determined	



Viscosity, kinematic:	- Not determined
Viscosity, dynamic:	- Not determined
Explosive properties:	- Not determined
Oxidizing properties:	- Not determined
Explosive limits:	- Not an explosive

SECTION: 10 STABILITY AND REACTIVITY

10.1 Reactivity: No additional information available.

10.2 Chemical Stability: This material is stable under normal conditions

10.3 Possibility of Hazardous Reactions: Builds hydrogen with acids. Danger of forming

hydrogen-air mixtures.

10.4 Conditions to Avoid: In the presence of oxygen and elevated

temperatures (>600 C / 1112 F) oxidation, starting at 977 C / 1790 F sublimation of

tungsten oxide (WO3, CAS No. 1314-35-8) and release of thorium dioxide (ThO2, CAS No. 1314-20-1). Avoid dust generation and

accumulation.

10.5 Incompatible Materials: In general, the contact of strong acids and/or

alkalis with halogens, oxidizing agents or with earth metals can cause strong reactions. This creates a danger of highly energetic reactions and formation of flammable/toxic gases.

10.6 Welding fumes and gases can create complex interactions. When an electrode is consumed, the fume and gas generated can be volatile and toxic. Also, the oxidation of the product (oxides) can be evaporated (tungsten oxide) or released as thoria (ThO2 CAS No. 1314-20-1).

SECTION: 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects: Harmful if swallowed

Substance name CAS number LD5O oral rat (mg/kg ATE (oral) (mg/kg) Comments



Cerium Dioxide	1345-13-7		No data
Lanthanum Dioxide	1312-81-8		No data
Zirconium Oxide	1314-23-4		No data
Yttrium Oxide	1314-36-9		No data

HAZARDOUS

Chemical Name	Ora LD 50	Dermal LD50	Inhalation LC50
Tungsten(CAS #: 7440-33-7)	> 2000 mg/kg (rat)	> 2000 mg/kg (rat)	> 5.4 mg/L (rat) 4h

Thorium dioxide (CAS#:1314-20-1):

parenteral LD50= 80 mg/kg (mammal) Intratracheal LD50= > 1140 mg/kg (rat)

Skin Irritation	- Not classified
Eye Irritation	- Not classified
Respiratory Irritation	- Not classified
Skin sensitization	- Not classified
Carcinogenicity	- May cause cancer
Reproductive toxicity	- Not classified

SECTION: 12 ECOLOGICAL INFORMATION

12.1 Toxicity: Very toxic to aquatic life

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Tungsten(CAS #: 7440-33-7)	> 17.7 mg/l 72 h Pseudokirchneriella subcapitata	> 181 mg/l 96 h Danio rerio,	> 163 mg/l 48 h Daphnia magna

12.2 Persistence and Degradability: No additional information available

12.3 Bio-accumulative Potential: No additional information available

12.4 Mobility in Soil: No additional information available

12.5 Other Adverse Effects: No additional information available

SECTION: 13 DISPOSAL CONSIDERATIONS



13.1 Waste treatment methods: Dispose of in accordance with local and national

regulations.

13.2 Relevant regulations thorium (EU): Council Directive 2006/117/EURATOM on the

supervision and control of shipments of

radioactive waste and spent fuel.

Nuclear Waste Shipment Regulation -AtAV (

Germany)

SECTION: 14 TRANSPORT INFORMATION

(DOT / ADR / RID / ADNR / IMDG / ICAO / IATA)

14.1 **UN / ID No. (thorium)** UN2909

UN Proper Shipping name (thorium): RADIOACTIVE MATERIAL, EXCEPTED

PACKAGE- ARTICLES MANUFACTURED FROM NATURAL URANIUM OR DEPLETED

URANIUM OR NATURAL THORIUM

Hazard Class (thorium):

SECTION: 15 REGULATORY INFORMATION

15.1 **US Federal Regulations**

Tungsten	(CAS No.) 7440-33-7	TSCA Inventory (listed)	SARA Section 313
Thorium Dioxide	(CAS No.) 1314-20-1	TSCA Inventory	SARA Section 313
	(67.6 1.6.) 161.1 26 1	(listed)	
Cerium Dioxide	(CAS No.) 1345-13-7	TSCA Inventory (listed)	SARA Section 313
Lanthanum Dioxide	(CAS No.) 1312-81-8	TSCA Inventory (listed)	SARA Section 313
Zirconium Dioxide	(CAS No.) 1314-23-4	TSCA Inventory (listed)	SARA Section 313
Yttrium Oxide	(CAS No.) 1314-36-9	TSCA Inventory (listed)	SARA Section 313

15.2 **US State Regulations**

Tungsten	(CAS No.) 7440-33-7	MA	Right to Know List
		MN	Hazardous Sub. List
		NJ	Right to Know List
		PA	Right to Know List
Thorium Dioxide	(CAS No.) 1314-20-1	CA	Prop 65 Carcinogen
		MA	Right to Know List
		MN	Hazardous Sub. List
		NJ	Right to Know List



		PA	Right to Know List
Cerium Dioxide	(CAS No.) 1345-13-7	MA	Right to Know List
		MN	Hazardous Sub. List
		NJ	Right to Know List
		PA	Right to Know List
Lanthanum Dioxide	(CAS No.) 1312-81-8	MA	Right to Know List
		MN	Hazardous Sub. List
		NJ	Right to Know List
		PA	Right to Know List
Zirconium Dioxide	(CAS No.) 1314-23-4	MA	Right to Know List
		MN	Hazardous Sub. List
		NJ	Right to Know List
		PA	Right to Know List
Yttrium Oxide	(CAS No.) 1314-36-9	MA	Right to Know List
	<u> </u>	MN	Hazardous Sub. List
		NJ	Right to Know List
		PA	Right to Know List

SECTION: 16 OTHER INFORMATION

16.1 NFPA

NFPA Health Hazard: 2-Warning may be harmful if inhaled or absorbed

NFPA Fire Hazard: 0-Materials that will not burn

NFPA Reactivity: 0-Normally stable, even under fire exposure conditions, and not

reactive with water



16.2 HMIS Rating

Health: 3-Major Hazard-major injury likely unless prompt action is taken

and medical treatment given

Flammability: 0-Minimal Hazard

Physical: 0-Minimal Hazard



DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge at the date of its publication.

The information is provided as guidance and is not considered a warranty or quality specification. It is the user's

obligation to determine the conditions of safe use of these products.

EMERGENCY CONTACT: CHEMTREC (800) 424-9300

Prepared by: Donna Mirczak, QA Manager